

-20°C ÷ +80°C
-20°C ÷ +300°C
for codes 6880 and 6882



10 Bar
6 Bar for code 6700,
6750 and 6780



Compressed air



Parallel gas BSPP ISO 228
from G1/8" to G1"
Metric ISO 262 - M5



- 6100, 6150, 6550 and 6600 sinterized spheric bronze powder on the coppered steel base
- 6200, 6250, 6300, 6350, 6400, 6650 and 6670 sinterized spheric bronze powder on the brass base
- 6450 and 6500 stainless steel wire on the brass base
- 6700 and 6750 plastic
- 6780 polyethylene
- 6820 stainless steel wire on nylon base
- 6850 stainless steel wire on stainless steel base
- 6880 stainless steel AISI 316L




Products in compliance with the directive 2002/95/EC

RoHS2

Products in compliance with the directive 2011/65/EU

6100


Cone-shaped silencer of sinterized spheric bronze with hex coppered steel base



CODE	T	ØP	I	F	L	H	GR.
6100TRM5	M5	5,5	3,5	3,0	17,0	7	2,0
6100TR18	G1/8"	10,5	4,5	3,5	21,0	12	6,0
6100TR14	G1/4"	12,5	6,0	4	27,0	15	12,5
6100TR38	G3/8"	17,0	7,0	5,4	35,0	19	23,0
6100TR12	G1/2"	20,5	8,0	6,0	41,5	23	39,0
6100TR34	G3/4"	26,5	9,0	7,5	54,0	30	78,5
6100TR1	G1"	33,0	11,0	8,0	67,0	36	149,5

6150

Hexagonal head cone-shaped silencer of sinterized spheric bronze with circular coppered steel base



CODE	T	ØP	I	L1	L2	H	GR.
6150TR18	G1/8"	11,5	4,5	22,5	17,0	8	6,5
6150TR14	G1/4"	15,0	6,0	28,5	22,0	10	12,5
6150TR38	G3/8"	19,0	7,0	36,0	29,0	13	23,5
6150TR12	G1/2"	23,0	8,0	44,0	35,0	15	39,0
6150TR34	G3/4"	30,0	9,0	56,0	47,0	19	77,5
6150TR1	G1"	37,0	11,0	66,0	58,0	24	139,0

